

INTELLIGENT

Intelligent Technology Changes Your Life

LOCK

Eseye

SMART LOCK SMART LIFE



Contents

WHAT ESEYE CAN DO	/ 1
OEM & ODM SERVICE	/ 2
WHY CHOOSE ESEYE	/ 3
WHO COOPERATE WITH ESEYE	/ 4
FUNCTION INTRODUCTION	/ 5
PRODUCT DETAILS	/ 6

WHAT ESEYE CAN DO

Provide OEM/ODM Services for High-end Smart Locks

— OEM/ODM Services

■ Simple OEM Customization

Customized Logos, Packaging,
Colors/Card/Finishings, etc

■ Deep ODM Customization

Customized Appearance, Functions,
Performance, Software Integration,
Server Deployment, etc

— All Series

■ Bluetooth & WIFI & Zigbee Smart Lock

■ Outdoor-use & Indoor-use Door Locks

■ Fingerprint & Password & Card(Normal Lock)

■ Home-use & Commercial-use & Hotel -use Door Locks

■ Tuya App & TTlock App(Supports TT hotel & TT Lock App And Tuya App)

■ Face Scan & Active Video Intercom(Technology)

— 100% Quality Checking

100% Inspection For Raw Materials & Finished Goods

200K-550K ■ Cycle Life Time

-20°C-60°C ■ High And Low Temperature

300H-600H ■ Salt Spray Test

OEM & ODM SERVICE



■ Lock Panel

Customize smart locks with your logo or brand information on the surface of the locks. Laser printing or silk screen printing.




■ Package

Customize packages with your logo and company information on the surface of the package. Color printing paper box.



■ Smart Cards

Customize key cards with your own design on the surface of hotel key cards. Color printing key cards.




■ Structure

Customize smart lock structures based on your requirements for projects or markets. Provide design service and technical support.



■ Functions

Customize smart lock functions based on your requirements for projects or markets. Like voice, light, special function, etc.



■ App

Customize App or software with your logo, contact and company information. Offer API/ SDK for integration.

WHY CHOOSE ESEYE

— Partnership Protection

Exclusive Distribution Control To Secure Customer's Marketing Investment

— Sales Capability

20+ Years Specilizing / 100% Exporting

— Factory Capacity

5 Production Assembling Lines,With 2300 Sets Daily Capacited

— Production Assurance

10 Professional Products / Designer & Technicians / 10 QC Technicians

— Products Supportability

70+ Models Launched / 20+ IP Patents / 5000+ Square Meters Factory



WHO COOPERATE WITH ESEYE



— Partnership Brands

■ Deep Cooperation With Worldwide

Top 3 Smart Lock Brands & 100+ High-level Brands



— Sales Coverage

■ Expand Business To

120+ Countries And Gained 1000 Customers

Welcome To OEM / ODM

20+ Years Experience In Manufacture

SECURE, KEYLESS CONVENIENCE

No more hassle of carrying keys around. Use any smart device as remote control. Choice of password, smart card, fingerprint, remote control or key to create and revoke access instantly. Decide who gets access and when, and receive auto activity updates. You're the boss. Create unique password for each user, create different access duration and access method for each family member and guest. Other than using a key, there are four other ways of accessing your Smart Door Lock.

HIGH-END DESIGN, FACIAL RECOGNITION VIDEO INTERCOM AND 24-HOUR MONITORING

- ✓ ULTRA CLEAR CAMERA
- ✓ 4.5 INCH 200W PIXEL IPS SCREEN
- ✓ 24-HOUR REAL-TIME MONITORING
- ✓ 3D FACIAL RECOGNITION UNLOCKING
- ✓ ACTIVE REMOTE VIDEO INTERCOM & UNLOCK
- ✓ PUSH UNLOCK RECORD, STAY AND CAPTURE ALARM
- ✓ IMPORTED SEMICONDUCTOR FINGERPRINT SENSOR
- ✓ EMERGENCY SHUTTER/ONE KEY ANTI LOCK/
DELAYED LOCKING



Remote unlocking



Face recognition



Fingerprint unlocking



Password unlocking



IC Card unlocking



Key unlocking



Visible Cat Eye



Active intercom

Fully Automatic Lock



Remote unlocking



Face recognition



Fingerprint unlocking



Password unlocking



IC Card unlocking



Key unlocking



Active video intercom



EY-N500FACE TUYA

- Material: Aluminum Alloy
- Plate Size: 415*75*55mm
- Unlock Way: Face, APP, IC Card/Password, Fingerprint, Mechanical key, Temporary password
- App Name: TUYA APP
- Power Supply: 7.4v lithium battery (5000mA)
- Operating Temperature: -20℃ -60℃
- User Capacity: 100pcs (Face, Fingerprint, Password, IC Card)
- Emergency lock cylinder: Super C level lock cylinder
- Apply Door Thickness: 40mm-120mm
- USB Back Up Power: Yes
- Mortise :6068 Mortise(standard)
7068 Mortise/6085 Mortise(optional)
- LCD: 4.5 Inch HD IPS LCD
- Camera: 200W pixel HD Camera(140° wide angle)
- Applicable For: Stainless steel door /security door /copper door/wooden door



Black




Tuya WiFi Version



(Standard mortise)



6068 Mortise
(Only For Thumb Tum)



6085 Mortise

Fully Automatic Lock

Push&Pull (Camera+Face Recognition)



Tuya WiFi Version

TT LOCK APP



EY-K800FACE TUYA

Plate Size:410*72*60mm



EY-K600FACE TUYA

Plate Size:410*72*53mm



EY-K100FACE TUYA

Plate Size:400*72mm



EY-K300FACE TUYA

Plate Size:420*75*25mm



EY-V100FACE TUYA

Plate Size:410*72*62mm



EY-V500FACE TUYA

Plate Size:425*70*68mm



EY-V600FACE TUYA

Plate Size:424*72*61mm



EY-V700FACE TUYA

Plate Size:423*73*59mm



EY-R911FACE TT

Plate Size:400*70*41mm

Fully Automatic Lock

Push&Pull (Camera+Face Recognition)



Tuya WiFi Version

TT LOCK APP



EY-V900Finger TT

Plate Size:400*70*63mm

EY-312

Plate Size:367*71*24mm

EY-312Pro TUYA

Plate Size:367*71*24mm



EY-K801 TUYA

Plate Size:454*76*47mm

EY-K30 TUYA

Plate Size:430*70*55mm

EY-K900 TT

Plate Size:430*71*46.5mm

Level Fingerprint Lock



Remote unlocking



Fingerprint unlocking



Password unlocking




Key unlocking



IC Card unlocking



Visible Cat Eye



EY-788TT/TUYA

EY-788Pro TUYA



Tuya WiFi Version

TT LOCK APP

- Material: Aluminum Alloy, front and rear lock are used for glass material
- Plate Size: 368*72*22mm
- Unlock Way: APP, Fingerprint, Password, IC Card, Key
- App Name: TT Lock APP/TUYA APP
- Mortise: 6068 Mortise (Optional: 7068 Mortise)
- User Capacity: 300 groups in total
- Fingerprint Recognition: Semi-conductor FPC
- Applicable Door Thickness: 35-90mm
- Battery: DC 6V, 8pcs AA Alkaline Batteries
- Applicable For: Stainless steel door /security door /copper door/wooden door
- Language: English/ Thailand/ Arabic/ Russia/ Vietnam/ Portuguese/ Spanish/ Indonesian



EY-788 Black



EY-788Pro Black



6068 Mortise
(Only For Thumb Tum)

Level Fingerprint Lock



Tuya WiFi Version

TT LOCK APP



EY-718

Plate Size:370*75*21mm



EY-718Pro TUYA

Plate Size:374*75*21mm



EY-738 TUYA

Plate Size:376*72*21mm



EY-768

Plate Size:370*75*21mm



EY-768Pro TUYA

Plate Size:370*75*21mm



Remote unlocking



Password unlocking



IC Card unlocking



Key unlocking



Fingerprint unlocking



Visible Cat Eye



EY-688 / EY-688Pro



Tuya WiFi Version

TT LOCK APP

- Material: Aluminum Alloy, front and rear lock are used for glass material
- Plate Size: 295*65*20mm
- Unlock Way: APP, Fingerprint, Password, Card, Key
- App Name: TT Lock APP/TUYA APP
- Mortise: Two tongues or single latch (Standard 5050 mortise , Optional 4585/5085/6085 Mortise)
- User Capacity: 300 groups in total
- Fingerprint Recognition: Semi-conductor FPC
- Applicable Door Thickness: 35-50mm
- Battery: DC 6V, 4pcs AA Alkaline Batteries
- Applicable For: Stainless steel door / security door / copper door / wooden door
- Language: English/ Thailand/ Arabic/ Russia/ Vietnam/ Portuguese/ Spanish/ Indonesian



EY-688 Black

EY-688 Silver



EY-688 Red Bronze

EY-688 Golden



EY-688Pro Black

EY-688Pro Silver



EY-688Pro Red Bronze

EY-688Pro Golden



Single latch
(60/70mm)



Double latch
(5050 mortise -180*22MM)



4585/5085/6085 mortise
(Optional)

Level Fingerprint Lock



Tuya WiFi Version

TT LOCK APP



EY-528

Plate Size:280*65*21mm



EY-528Pro TUYA

Plate Size:280*65*21mm



EY-608

Plate Size:240*60*21mm



EY-588

Plate Size:262*60*21mm



EY-588Pro TUYA

Plate Size:262*60*21mm



EY-650

Plate Size:259*62*22mm



EY-650Pro TUYA

Plate Size:259*62*22mm



EY-678

Plate Size:184*66mm



EY-668Pro TUYA

Ultra-Slim Lock

for Narrow Aluminum Door



Remote unlocking

IC Card unlocking

Fingerprint unlocking

Password unlocking

Key unlocking

Visible Cat Eye

EY-K700Pro TUYA Double Fingerprint




Tuya WiFi Version

- Material: Aluminum Alloy
- Plate Size: 374*33*48mm
- Unlock Way: TUYA Remote, Fingerprint, Code, Magnetic Card, Temporary Code, Key
- App Name: TUYA APP
- Power Supply: 2,600 MAH Recharge Battery
- Color: Blue Grey
- Lock Grade: Class C lock core
- Applicable Door Thickness: 40-110mm
- Operating Humidity: 20-93%RH
- Operating Temperature: -20°C ~ 50°C



EY-K700Pro Blue Grey



Double Fingerprint Aluminum Lock

With Waterproof Function



Tuya WiFi Version

TT LOCK APP



EY-396

**Double Fingerprint(TT)
lithium battery**

Plate Size:317*35*21mm



EY-388 Single /

**Double Fingerprint(TUYA)
lithium battery**

Plate Size:315*40*21mm



EY-399

**Double Fingerprint(TT)
lithium battery**


Plate Size:350*39*25mm



EY-368

**Double Fingerprint(TT)
Alkaline battery**

Plate Size:300*40*22mm



Battery box is placed inside the door (EY-368 Double Fingerprint)



Remote unlocking



IC Card unlocking



Password unlocking



Fingerprint unlocking



Key unlocking



Visible Cat Eye



Android Version

EY-393 TT/TUYA

EY-393Pro TUYA



Tuya WiFi Version



TT LOCK APP

- Material: Aluminum Alloy
- Plate Size: 330*36*25mm
- Unlock Way: APP, Fingerprint, Password, M1 Card, Key
- App Name: TT Lock APP/TUYA APP
- Capacity: Fingerprint, Password, Magnetic Card A total of 100
- User Capacity: 100pcs
- Applicable Door Thickness: 35-55mm
- Applicable For: Aluminium door/ stainless steel security door/ wooden door
- Power Supply: DC6V, 4pcs AA alkaline batteries
- Mortise: 3585 mortise, Compatible with more than 10 mortise, including European standard mortise



EY-393 Black



EY-393 Silver



EY-393Pro Black



EY-393Pro Silver



2885 mortise



3585 mortise



4585 mortise



5085 mortise



6085 mortise

Ultra-Slim Lock For Narrow Aluminum Door



Tuya WiFi Version

TT LOCK APP



EY-K703 Finger TT

Plate Size:423*38*26mm



EY-K703 FACE TUYA

Plate Size:423*38*26mm



EY-390

Plate Size:345*36*21mm



EY-390A

Plate Size:345*36*21mm



EY-391Pro TUYA With Cat Eyes

EY-391

Plate Size:345*36*21mm



EY-391A

Plate Size:345*36*21mm



EY-368

Plate Size:300*40*22mm



EY-368A (Customization)

Plate Size:300*40*22mm



EY-368B (Standard)

Plate Size:300*40*22mm



Remote unlocking



Face recognition



Fingerprint unlocking



Password unlocking



IC Card unlocking



Key unlocking



EY-CP90



Tuya WiFi Version



TT LOCK APP


- Plate Size:186*76mm
- Unlock Way:Face,Fingerprint,Password,IC card,Remote control Kit (optional), Mechanical key
- App Name:TT Lock APP/TUYA APP
- Color:Black/Gold
- Number Of Faces:50 groups
- Fingerprint Number:100 groups
- Password And Card Quantity:1000 groups
- Number Of Record Queries:10000 groups
- Recognition Time:≤0.3S
- Fingerprint Rejection Rate: ≤0.15%
- Applicable Door Thickness:8-12mm frameless glass door,
30-120mm frameless glass door/wooden door



EY-CP90 Black



EY-CP90 Gold



Glass Door Lock



Tuya WiFi Version



TT LOCK APP



EY-CP99FACE TUYA

Plate Size:172*68mm



EY-CP92 TUYA

Plate Size:170*62mm



EY-CP91 TT

Plate Size:198*74mm



EY-CP91 TUYA



EY-CP70

Plate Size:170*68mm



EY-CP60

Plate Size:170*70mm



**EY-CP50Pro(No App)
(Optional:TUYA)**

Plate Size:174*70mm



EY-CP41

Plate Size:159.8*62.8mm



EY-CP30

Plate Size:180*75mm



EY-CP30PLUS



EY-G600 TUYA

Plate Size:235*65*24mm



Remote unlocking



Face recognition



Fingerprint unlocking



Password unlocking



IC Card unlocking



Key unlocking



EY-CP90 TUYA

Dual Fingerprint + Dual Key



Tuya WiFi Version


- Plate Size:186*76mm
- Unlock Way:Face,Fingerprint,Password,IC card,Remote control Kit (optional), Mechanical key
- App Name:TUYA APP
- Color:Black/Gold
- Number Of Faces:50 groups
- Fingerprint Number:100 groups
- Password And Card Quantity:1000 groups
- Number Of Record Queries:10000 groups
- Recognition Time:≤0.3S
- Fingerprint Rejection Rate: ≤0.15%
- Applicable Door Thickness:8-12mm frameless glass door, 30-120mm frameless glass door/wooden door/gate lock /iron smart lock



EY-CP90
Dual Fingerprint + Dual Key
Black



EY-CP90
Dual Fingerprint + Dual Key
Gold



Gate Lock / Iron Smart Lock

Double Fingerprint/Single Fingerprint



Tuya WiFi Version

TT LOCK APP



EY-07

Front Size:162*57*30mm

Back Size:205*60*30mm



EY-07Pro

Front Size:162*57*30mm

Back Size:205*60*30mm



EY-03(customized)

Front Size:140*59.65*18.32mm

Back Size:205*60*30mm



EY-CP70Pro FACE (TUYA)

Plate Size:176*73*22mm



Remote unlocking



Fingerprint unlocking



Password unlocking



Magnetic Card unlocking



Key unlocking



EY-10 / EY-10Pro



Tuya WiFi Version
(standard configuration)



TT LOCK APP
(customization)

- Material:Aluminum alloy+ABS+Iron+Tempered glass
- Plate Size:145*64*50mm
- Unlock Way:App, Card, Password, Fingerprint, Key
- App Name:TUYA Lock/TT Lock APP
- Color:Matte black
- Apply Door Thickness:35-55mm
- Mortise:60,70 adjustable
- Number Of Users:150 codes,100 fingerprints,200 cards
- Operating Voltage:4.5-6.5V
- Emergency Power Supply:DC 5V
- Operating Temperature:-25°C-60°C
- Working Humidity:45-90%RH



EY-10 Black(Single Fingerprint)



EY-10Pro Black(Double Fingerprint)



RIM LOCK



Tuya WiFi Version



TT LOCK APP



EY-09
(Single Fingerprint)

Plate Size:168*60*34mm



EY-09Pro
(Double Fingerprint)

Plate Size:168*60*34mm

Room Lock



Remote unlocking



Fingerprint unlocking



Password unlocking



Key unlocking



Replaceable



Replaceable



Replaceable

EY-S30 / EY-S301



Tuya Bluetooth Version




TT LOCK APP

- Material: Aluminum Alloy
- Plate Size: 158*63mm
- Unlock Way: APP, Fingerprint, Password, Key
- App Name: TT Lock APP/TUYA APP
- Color: Silver/Matte black
- Support System: IOS 7.0 or Android 4.3 or above
- Power Supply: 4pcs of 1.5V AAA alkaline batteries
- Apply Door Thickness: 35-55mm
- Application: Office, Apartment, Home, School
- Applicable For: Wooden or Metal door



EY-S30 Black




EY-S30 Silver



EY-S301 Black



EY-S301 Silver



Room Lock



Tuya Bluetooth Version TT LOCK APP



EY-S10

Plate Size:145*68mm



EY-S101

Plate Size:145*68mm




EY-S200

Plate Size:132*54mm



EY-S102

Plate Size:159*62mm



EY-S103

Plate Size:159*62mm



EY-S104

Plate Size:159*62mm



EY-F202 TUYA

Plate Size:70*60mm



EY-F520 TUYA


Plate Size:70*60mm



EY-F233 TUYA

Plate Size:70*60mm

Deadbolt Smart Lock



Remote unlocking



IC Card unlocking



Fingerprint unlocking



Key unlocking



Password unlocking

EY-180



Tuya WiFi Version



TT LOCK APP

- Material: Zinc alloy
- Plate Size: 139*63*15mm
- Unlock Way: App, Card, Password, Fingerprint, Key, Temporary password
- App Name: TT Lock APP/TUYA APP
- Color: Matt black/Brushed nickel
- Apply Door Thickness: 38-48mm
- Power Supply: 6V (4pcs AA Alkaline Batteries not included)
- Working Temperature: -20°C-70°C
- Working Humidity: 20%-80%RH
- Application: Office, Apartment, Home, School
- Applicable For: Stainless steel door/security door/
copper door/wooden door



EY-180 Matt black



EY-180 Brushed nickel



Deadbolt Smart Lock



Tuya WiFi Version



TT LOCK APP



EY-170

Front Size: 140*60*16mm
Back Size: 155*68*28mm



EY-171

Front Size: 158*70*21mm
Back Size: 155*68*28mm



EY-130

Front Size: 143*63*15mm
Back Size: 146*64*26mm



Tuya Bluetooth Version



TT LOCK APP



Tuya Bluetooth Version

EY-141 TUYA

Front Size: 139*68mm
Back Size: 160*74mm

Smart Cylinder Lock



Remote unlocking



Password unlocking



IC Card unlocking



Key unlocking



EY-F206



Tuya Bluetooth Version TT LOCK APP

- Plate Size:175*36mm
- Unlock Way:
 Password:App,Password,Key,Card(touch screen button)
 Fingerprint:App,Fingerprint,Key,Optional remote kit(TT Lock App)
- App Name:TT Lock APP/TUYA APP
- Color:Black/Silver
- Fingerprint Capacity:50 pieces(TT Lock),100 pieces(TUYA)
- Password Capacity:Customize 150 pieces,
 permanent single time limit without limit
- Mortise:National standard,European standard/large mortise
- Mechanical Key:Magnetic induction key
- Working Power:3.7V,750mAH removable lithium battery
- Suitable For Door Thickness: 40-110mm
- Suitable Temperature:-20°C-70°C
- Working Current: <130mA
- Stand-By Current:<20uA
- Alarm Voltage: 3.6V
- Emergency Power Supply:Micro USB
- Product Material: Aluminum alloy(handball)/copper(lock cylinder)
 /structural parts(stainless steel)
- Installation:No need to drill holes and replace the lock body,easy to install






EY-F206 Fingerprint



(Black)

(Silver)

EY-F206 Password



A	B
30	30
35	35
30	40
40	30
40	40
40	60
60	40

Room Lock




Tuya Bluetooth Version TT LOCK APP



TUYA (Fingerprint) (Password)

EY-F205

Plate Size: 198*53mm



SIZE	A	B
60mm	30	30
70mm	35	35
80mm	40	40
100mm	60	40



(Password) (Fingerprint)

EY-F207

Plate Size: 162*42mm

A=Outside
B=Inside
L=A+B

Total Length	A+B									
65	32.5+32.5									
70	32.5+37.5	37.5+32.5								
75	32.5+42.5	37.5+37.5	42.5+32.5							
80	32.5+47.5	37.5+42.5	42.5+37.5	47.5+32.5						
85	32.5+52.5	37.5+47.5	42.5+42.5	47.5+37.5	52.5+32.5					
90	32.5+57.5	37.5+52.5	42.5+47.5	47.5+42.5	52.5+37.5	57.5+32.5				
95	32.5+62.5	37.5+57.5	42.5+52.5	47.5+47.5	52.5+42.5	57.5+37.5	62.5+32.5			
100	32.5+67.5	37.5+62.5	42.5+57.5	47.5+52.5	52.5+47.5	57.5+42.5	62.5+37.5	67.5+32.5		
105	32.5+72.5	37.5+67.5	42.5+62.5	47.5+57.5	52.5+52.5	57.5+47.5	62.5+42.5	67.5+37.5	72.5+32.5	
110	32.5+77.5	37.5+72.5	42.5+67.5	47.5+62.5	52.5+57.5	57.5+52.5	62.5+47.5	67.5+42.5	72.5+37.5	77.5+32.5

Notice: Please remark the total length with one code as special order, such as total 80mm, A=37.5, B=42.5. Name it with S1-80C.



IC Card unlocking



Password unlocking



Key unlocking

Hotel Lock



EY-1099TT



Traditional Hotel Lock



TT LOCK APP


- Material:Stainless steel
- Plate Size:340*75*20mm
- Unlock Way:APP,Card,Key
- App Name:TT Lock APP
/Traditional Hotel Software(Computer)
- Mortise:6068 mortise



EY-1099TT Black



EY-1099TT Silver



3585 mortise



6068 mortise



Hotel lock mortise

Hotel Lock



Traditional Hotel Lock



TT LOCK APP



EY-12

Plate Size:283.5*50mm
(3585 Mortise)



EY-119 Finger

Plate Size:350*78mm
(Hotel Lock Mortise)



EY-119

Plate Size:350*78mm
(Hotel Lock Mortise)



EY-H2021

Plate Size:300*75mm
(Hotel Lock Mortise)



EY-H2022

(Hotel Lock Mortise)



EY-H2023

(Hotel Lock Mortise)



EY-2024

(Hotel Lock Mortise)



EY-H2025


(Hotel Lock Mortise)



EY-758 TT

Plate Size:362*70*21mm
(6068 Mortise)


European standard mortise (broken bridge mortise)



WiFi Push Pull Face +Fingerprint Smart Lock +Video Intercom



Great Overlord/Great Cylinder/European mortise/ Israel and other various mortise





Dongguan Xingyi Intelligent Technology Co., Ltd

Whatsapp: +86-18824418831

Phone: +86-0769-89779909

Email: mayyeeshion@gmail.com

Web: www.eseyetech.com

Add: 2nd Floor, 1st Building, INNOPARK-Smart System Innovation Industrial Park,
Wanjiang District, Dongguan City, Guangdong Province, China